


**SPEEDY  
Slatted Cover**
**Speedy fabrication required:**
 Yes  No

FROM NOVEMBER TO MARCH

APRIL

FROM MAY TO AUGUST

SEPTEMBER, OCTOBER

**D+5**
**D+6**
**D+7**
**D+6**

Customer N°: ..... Customer reference: ..... Order form date: .....

**Company contact details:**

Surname: .....

Postcode: ..... Town/City: ..... Country: .....

Phone: .....

E-mail: .....

Contact in case of missing measurements: .....

.....

.....

**Delivery address:**

Name: .....

Address: .....

Postcode: ..... Town/City: ..... Country: .....

 Access:  Semi-trailer  Carrier Other: .....

Fill in the truck access checking guide on p. 367.

 Pick up at DEL Brécé factory (35530 Brécé, FRANCE)

 New build pool  Existing pool: In order to avoid taking again measurements of the pool, please indicate the invoice number, order number or reference of the original cover made: .....

**WALL UNITS**
 Yes  No **To be delivered:**  With the cover  Before the cover  Already received

**CONTROLS**
 Wi-Key  Key switch  Insert mount key switch (indoor use)

**CLOSING CONTROLS**
 Maintain contact (default choice)  Impulse on

**OPTIONS**
**Stainless steel tube** (for pools max 6 m wide)  Yes  No

**Bracket for standard decking pit 90 cm**  Yes  No

If yes, number: .....

**Wheels for high water level**  Yes  No

 Decking weight:  - 50 kg/m<sup>2</sup>  + 50 kg/m<sup>2</sup>
**Skimmer reinforcement kit**  Yes  No

If yes, number: .....

**Liner protection wedge**  Yes  No

**Telescopic extension**  Yes  No

**6 pin connector**  Yes  No

**Wintering crank**  Yes  No

**Liner protection**  Yes  No

**Extra Wi-Key emitter**  Yes  No

If so, indicate the number (max. 3): .....

**Remote Wi-Key receiver box**  Yes  No

**Middle telescopic support for beam**  Yes  No

If yes, indicate the number: .....

**Middle telescopic support for beams up to 10 m**  Yes  No

**Earth-grounding:**  Yes  No

 Ø 50 mm  Yes  No

 Ø 63 mm  Yes  No

Support brackets for decking

Customer N°:	Customer reference:	Order form date:	Company:
--------------	---------------------	------------------	----------

**SLATS**

In standard: Opaque PVC 84 slats

**!** Take PVC opaque 69 slats if your pool up to 5.05 m wide.

White  Grey

**Solar polycarbonate slats - 69 mm** (not compatible with bromine treatment)

Crystal black  Silver  Crystal blue\*  Crystal\*  Crystal brown\*  Crystal green\*

Leave one slat out of three without end cap to ease the sliding of the slats:  AD side  BC side  
By default, all endcaps will be installed.

Additional lead time for slats over 6 m long. \*Additional lead time

**Opaque PVC 69 slats**

White  Beige  Grey  Blue\*

Leave one slat out of three without end cap to ease the sliding of the slats:  AD side  BC side  
By default, all endcaps will be installed.

Additional lead time for slats over 6 m long. \*Additional lead time.

**STAIRS OR SLAT CUT-OUT**

Roman stair  Square stair  Trapezoid stair  Slat cut-out (attach a plan)

**LOCKING KITS**

**For opaque PVC 84 slats**

**Pushlock**

White  Beige  Grey  Dark grey  Blue  Argile green

**Fittings:**

Insert mount  
 Surface mount  
 Hanging mount  
 High hanging mount

**For opaque PVC 69 and solar polycarbonate slats**

**Pushlock**

White  Beige  Grey  Dark grey  Blue  Argile green

**Quicklock + Tool**

White  Beige  Grey

**White straplock kit**

Concrete coping anchors  Wood coping anchors

**Fittings:**

Insert mount  
 Surface mount  
 Hanging mount  
 High hanging mount (Pushlock only)

**BEAM**

**BEAM TYPE**

To be delivered:  Yes  No

100 x 100 mm  120 x 100 mm\*

White  Beige\*  Grey

\*Available up to a width of 6 m.

**SUPPORT TYPE**

**Must be filled in. Indicate the model type in order to manufacture the beam.**

To be delivered:  Yes  No

Insert mount  Surface mount  
 Adjustable hanging mount  Liner hanging mount

**DECKING**

**Smooth teak decking**


**Aluminium decking:**  White  Beige  Grey

**Options for aluminium decking:**  Non-slip tape  Cleaner

75 cm  90 cm  Non standard or for indoor pool\*: ..... x ..... cm

Cut to size  Additional decking for automatic slatted cover box

\*Additional lead time.



**SECURIWALL**



Yes **Fill in the order form on p. 366.**  No

**WINTER SHIFT / PROTECTIVE COVERING**


**Ivernea:**  Yes **Fill in the order form on p. 397.**  No

**Ivernea plus:**  Yes **Fill in the order form on p. 397.**  No

Customer N°:	Customer reference:	Order form date:	Company:
--------------	---------------------	------------------	----------

POOL TYPE	
<input type="checkbox"/> Polyester shell - Brand: ..... - Model: ..... <input type="checkbox"/> Concrete <input type="checkbox"/> Resin <input type="checkbox"/> Wood <input type="checkbox"/> Polystyrene block <input type="checkbox"/> Metal	
WATERTIGHTNESS	
<input type="checkbox"/> Liner <input type="checkbox"/> On-site lining <input type="checkbox"/> Tiles <input type="checkbox"/> Coated <input type="checkbox"/> Other: .....	
POOL	
<b>Diagonals</b> Diagonal AC = .....cm Diagonal BD = .....cm	
	
Overflow	
<input type="checkbox"/> Yes (by default 1 every 4 m on each length) on <input type="radio"/> AB <input type="radio"/> BC <input type="radio"/> CD <input type="radio"/> AD <input type="checkbox"/> No <input type="radio"/> Infinity control box (we recommend the Pushlock hanging mount kits)	
 <b>INFO</b> For an overflow pool, the hanging mount kits will be delivered in raw stainless-steel.	
Coping overhang	
..... cm	

**skimmer** : Indicate the exact skimmer positions.

 : Indicate the positions of the locking kits that have already been installed.




To comply with the French NF P90-308 safety standard, the locking kits must be installed in accordance with our recommendations in the technical instructions leaflet. The positioning of the locking kits will be determined by CF Group according to the configuration of your pool. A detailed plan will be sent to you when your cover is delivered.

ADDITIONAL INDICATIONS IF REQUIRED


**INTERIOR POOL DIMENSIONS TO BE TAKEN AT THE WATER LINE AFTER WATERTIGHTNESS HAS BEEN MADE**

**Skimmer thickness**  
 Flush     Proud of ..... cm  
**Skimmers on the widths indicate them on the drawing**  
**Skimmers on the lengths:**  BC     AD

Stairs (see p. 364).



**TUBE / REEL SYSTEM SIDE = AB**



\*This information determines the dimension of the beam



# SLATTED COVER TRIANGULATION DRAWING


Customer N°:	Customer reference:	Order form date:	Company:
--------------	---------------------	------------------	----------

CD = ..... cm  
 EF = ..... cm  
 CF = ..... cm  
 ED = ..... cm  
 EP = ..... cm

E1 = ..... cm  
 E2 = ..... cm  
 E3 = ..... cm  
 E4 = ..... cm  
 E5 = ..... cm  
 E6 = ..... cm  
 E7 = ..... cm

F1 = ..... cm  
 F2 = ..... cm  
 F3 = ..... cm  
 F4 = ..... cm  
 F5 = ..... cm  
 F6 = ..... cm  
 F7 = ..... cm

Corner radius C = .....cm  
 Corner radius D = .....cm  
 Corner radius E = .....cm  
 Corner radius F = .....cm



# TRUCK ACCESS CHECKING GUIDE

Company name:	Customer reference:
---------------	---------------------

**i** INFO

To allow us to deliver to you with maximum efficiency, please fill in this questionnaire carefully. We decline all liability in the event of the required delivery location being inaccessible due to the indications you have provided. Any new deliveries will be invoiced to you. Thank you for your understanding.



**ORDERED EQUIPMENT**

Automatic slatted cover   
  Bar cover   
  Bubble cover (over 4.50 m)   
  Pool kits solutions/above-ground pools

**ROAD SIGNAGE LEADING TO THE REQUESTED DELIVERY POINT**



Have you already seen this type of road sign on the road that leads to the requested delivery point?

Yes If so, please indicate which ones: .....  
 No

**ACCESS TO THE REQUESTED DELIVERY POINT: TYPES OF VEHICLE LIKELY TO HAVE ACCESS**

Below are different vehicle types. Indicate which types are likely to be able to pass in front of the requested delivery location.

 Tractor + trailer (38 tonnes): <input type="checkbox"/> Yes <input type="checkbox"/> No	 Semi-trailer (38 tonnes): <input type="checkbox"/> Yes <input type="checkbox"/> No	 Small carrier (19 tonnes): <input type="checkbox"/> Yes <input type="checkbox"/> No	 Small truck (6 tonnes): <input type="checkbox"/> Yes <input type="checkbox"/> No
 Garbage trucks: <input type="checkbox"/> Yes <input type="checkbox"/> No	 Concrete mixer trucks: <input type="checkbox"/> Yes <input type="checkbox"/> No	 Fuel delivery trucks: <input type="checkbox"/> Yes <input type="checkbox"/> No	 Small van: <input type="checkbox"/> Yes <input type="checkbox"/> No

**TRUCK CLEARANCES: DETAILS**

Be careful of the truck clearance: Is the delivery address subject to one of the below situations ?

 Electric cables: <input type="checkbox"/> Yes <input type="checkbox"/> No	 Low branches: <input type="checkbox"/> Yes <input type="checkbox"/> No	 Corners of roads: <input type="checkbox"/> Yes <input type="checkbox"/> No
---	--	--

**OTHER INDICATIONS, PLEASE DESCRIBE**

Customer N°: .....	Customer reference: .....	Order form date: .....
--------------------	---------------------------	------------------------

<p><b>Company contact details:</b></p> <p>Surname: .....</p> <p>Postcode: ..... Town/City: ..... Country: .....</p> <p>Phone: .....</p> <p>E-mail: .....</p> <p>Contact in case of missing measurements: .....</p>	<p><b>Delivery address:</b></p> <p>Name: .....</p> <p>Address: .....</p> <p>Postcode: ..... Town/City: ..... Country: .....</p> <p>Phone (person to contact) .....</p> <p><input type="checkbox"/> Pick up at DEL Brécé factory (35530 Brécé, FRANCE)</p>
--	---

New pool       Existing pool: to avoid re-taking the measurements, please indicate the invoice n°, order n° or delivery document n° for the original cover: .....

Caution, Ivernea and Ivernea covers are not compatible with a solar PVC slat cover.

**SLATS**

In-ground (decking above water)     In-ground (decking under water)     Above-ground (without covering)     Above-ground (with covering)

**MODEL / COLOUR**

**Ivernea:**

Green     Blue     Beige     Grey

**Ivernea plus:**

Ivernea Plus

**POOL DIMENSIONS**  
(for in-ground covers, indicate the size excluding the pit)

Length: ..... cm

Width: ..... cm

**Diagonals**

Diagonal AC = ..... cm

Diagonal BD = ..... cm

Diagonals taken at sharp corners. 

**CORNER RADIUS**

A = ..... cm

B = ..... cm

C = ..... cm

D = ..... cm

**STAIRS**

Yes       No

**SHAPE:**

Square       Roman

Indicate the stair position:

On the AB width       On the CD width

Along the AD length       Along the BC length

**FILTRATION BLOCK / CUT**

Yes (supply a drawing)     No

**FITTINGS**

Bungee-clip

**OPTION**

Extra Bungee-clip(s): recommended for windy areas.

