
ULTIMA COVER - IN-GROUND VERSION UNDER COPING

Customer N°:	Customer reference	:	Order form date:				
Company contact details:		Delivery address:					
Surname:		Name:					
Postcode:Town/City:		Address:					
Country:		Postcode: Town/City:					
Phone:		Country:					
E-mail:		Phone (person to contact):					
Contact in the event of missing me	easurements:	Access: Semi-trailer Carrier Other:					
		Fill in the truck acce	ess checking guide on p. 13.				
New pool Existing pool: to avoid re-taking the measurements, please indicate the invoice n°, order n° or delivery document n° for the original Ultima:							
DEL PREMIUM							
RAIL INSTALLATION UNDER THE COI	PING						
Flat rails (no hung)	Rails for liner h	ung	cm (2 cm max.)				
DO YOU WANT THE RAILS DELIVERED BEFORE THE COVER?							
Yes No		1 INFO	The hoses will be delivered tat the same time as the rails.				
CONTROLS							
Wi-Key Key switch	Insert mount key swi	tch (indoor use)					
OPTIONS							
"Stop Salt" control box	Yes [
Extra Wi-Key emitter If so, indicate the number (max. 3):	Yes [l No					
Remote Wi-Key receiver box	☐ Yes [No					
COVER COLOURS							
Standard compliant colours	_						
	Dark grey OB	eige	grey				
HYDRAULIC HOSE LENGTH							
BRACKET FOR PIT BOX CASING							
1 bracket every 50 cm max. by default for a covering weight of 25 kg/m² and a load of 100 kg. Need extra brackets for greater strength? Additional quantity:							
TEAK WOOD DECKING FOR PIT CASING							
Standard decking 75 cm Yes	□ No						
Custom made decking Yes* No							
O Indoor pool Outdoor pool							
*The decking supplied by CF Group France will be produced after the Ultima Cover has been installed and using an accurate diagram supplied by you.							

The measurements indicated on the order form will be used as proof. CF Group France cannot be held liable in the event of a dispute.


ULTIMA COVER DRAWING - IN-GROUND VERSION UNDER COPING

Customer N°: Customer reference: Order form date:



Diagonals: AC =cm

BD =cm



RR = measurement between rails

* From 25 to 40 cm, the separating wall will be visible.

CAUTION: no skimmers along [AB].

TRUCK ACCESS CHECKING GUIDE

Company name:		Customer reference:				
1 INFO						
To allow us to deliver to you with maximum efficiency, please fill in this questionnaire carefully. We decline all liability in the event of the required delivery location being inaccessible due to the indications you have provided. Any new deliveries will be invoiced to you. Thank you for your understanding.						
ORDERED EQUIPMENT						
Automatic slatted cover	cover Summer cov	ver (over 4.50 m)	ol kits solutions/above-ground pools			
ROAD SIGNAGE LEADING TO THE REQU	JESTED DELIVERY POINT					
Have you already seen this type of road sign on the road that leads to the requested delivery point?						
Yes If so, please indicate which ones:						
ACCESS TO THE REQUESTED DELIVERY POINT: TYPES OF VEHICLE LIKELY TO HAVE ACCESS						
Below are different vehicle types. Indicate which types are likely to be able to pass in front of the requested delivery location.						
0-00-00-00-	0 00 00					
Tractor + trailer (38 tonnes):	Semi-trailer (38 tonnes):	Small carrier (19 ton	nes): Small truck (6 tonnes):			
Yes No	∐Yes ∐No	∐Yes ∐No	☐ Yes ☐ No			
	0 00	000				
Garbage trucks:	Concrete mixer trucks:	Fuel delivery trucks:	Small van:			
TRUCK CLEARANCES: DETAILS	Li fes Li No	resno	Li les Li NO			
Be careful of the truck clearance: Is the delivery address subject to one of the below situations?						
		00-00-				
Electric cables: Yes No	Low branches: Yes	□ No Co	rners of roads: Yes No			
OTHER INDICATIONS, PLEASE DESCRIBE						