ALVEOLAR & GEOBUBBLE BUBBLE COVERS & THEIR REEL SYSTEMS

DEL

SPEEDY Speed Bubble Tyes	dy fabrication required: \Box No	FROM NOVEMBER TO MA D+3	RCH APRIL D+4	FROM MAY TO AUGUST	SEPTEMBER, OCTOBER D+3	
Customer N°:	Customer reference	Đ:	Order forn	m date:		
Company contact details:		Delivery address:				
Surname:		Name:				
Postcode:	City:	Address:				
Country:		Postcode:		•		
Phone:		Phone (person to co				
E-mail:		· ·				
Contact in case of missing	Contact in case of missing measurements:		Access: Semi-trailer Carrier Other:			
☐ New pool ☐ Exis	New pool Existing pool: to avoid re-taking the measurements, please indicate the invoice n°, order n° or delivery document n° for the original cover:					
MODEL						
☐ Alveolar Cover Black - 550 ☐ Alveolar Cover Translucen ☐ Sundown - 400 µm ☐ Midnight - 400 µm ☐ Extrasun - 400 µm (only re	t blue - 550 μm					
FINISH						
Fully bordered						
STAIRS						
Rectangular Rom	an 🗌 Trapezoid		Pre-fol		sy to fold the bub- on the reel system.	
OPTIONS						
Sheath for pull bar	☐ Yes ☐ No		1 IN	150		
Straps for reel system with sn Pre-fold			Pre-fol	ding: Makes it eas	sy to fold the bub- on the reel system.	
CUT-OUT / LADDER / MOTO	R BLOCK					
Yes (provide a drawing)	□No					
EXTRA EYELETS						
Yes Number of extra eyele (By default: one eyelet every		-		□No		
REEL SYSTEMS						
T-Basic 95*	Delinox					
T-Presto 126*	Borne					
Orion*	○ Electric ○ Solo	ır				
Orion removable*						
□ Vega*	○ Manual ○ Elec	tric				
☐ Vega removable*						
Vega mobile*				* Not rocores	mended for indeer pack	
				ivot recomn	mended for indoor pools.	

1 INFO

For asymmetrical covers (or with stairs), please specify the width of the eyelets when ordering.



Customer N°:	Customer reference):		Order form date:	
Company contact details:		Deliv	ery address:		
Surname:		Name	e:		
Postcode: City	/:	Addre	ess:		
Country:		Postcode:City:			
Phone:)	
E-mail:		Phone (person to contact)			
Contact in case of missing measu	urements:	Access: Semi-trailer Carrier Other:			
		L Pic		int-Rémy-de-Provence factory Saint-Rémy-de-Provence, FRANCE)	
			, ,	, , ,	
☐ New pool ☐ Existing p				please indicate the invoice n°, e original cover:	
MODEL	0.00	,,			
MODEL					
□ Blue blue - 500 μm			Blue blue - 4	400 μm	
Opaque grey - 500 μm					
Silver blue - 500 μm					
FINISHES					
☐ Fully bordered					
☐ Bordered on 2 widths					
☐ No bordered					
STAIRS					
Rectangular Roman	☐ Trapezoid				
CUT-OUT / LADDER / MOTOR BLOCK					
Yes (provide a drawing) No					
EXTRA EYELETS For models with full	bordered and bordere	er on 2	width, option no	t available for 500 µm covers.)	
Yes. Number of extra eyelets: (attach a diagram showing the eyelet positions)					
(By default: one eyelet every 50 cm + 1 on 1 width, 2 eyelets on the opposite width)					
REEL SYSTEMS	REEL SYSTEMS				
T-Basic 95*	Delinox				
T-Presto 126*	Borne				
☐ Orion* ☐ Electric ☐ Solar					
□Vega*	○ Manual ○ Electri	С			
☐ Vega removable*					
☐ Vega mobile*				***	
				* Not recommended for indoor pools.	



For asymmetrical covers (or with stairs), please specify the width of the eyelets when ordering.

ALVEOLAR, GEOBUBBLE & ROUND BUBBLE COVERS - DRAWING

Order form date:

Company:

Customer reference:

Customer N°:

POOL	
	OCTACONAL.
RECTANGULAR: cm	OCTAGONAL:
D C	cm F E
<u>ال</u> م	cm Cm
cm	cm
Corners:	Corners:
Diagonals:	Diagonals:
AC:cm BD:cm	AE:cm AC:cm
	BF: cm BC: cm
Reel systems side: AB BC CD AD	CG: cm EG: cm
	DH:cm FD:cm
	Reel systems side: AB BE EF AF
STAIRS	
ROMAN:	RECTANGULAR:
TRAPEZOID: Cm	H
EG: cm FH: cm	
CUT-OUTS	
ALVEOLAR & GEOBUBBLE BUBBLE COVER CUT-OUTS:	POSITION YOUR CUT-OUTS:
	DC
cmcmcm	A B
ROUND BUBBLE COVER CUT-OUTS:	


POOL DRAWING - TRIANGULATION

Customer N°:	Customer reference:	Order form date:	Company:



TAKING MEASUREMENTS USING TRIANGULATION

- 1 Trace to points A and B using a chalk on the pool at the locking unit level. It is important that A and B be spaced at a maximum from each other while keeping the possibility of making all measurements in a straight line.
- 2 Divide the pool boundary into spaces of about 50 cm and number them using a chalk 1, 2, 3, etc.
- 3 Fill in the document.



IF THIS ORDER FORM IS USED FOR A LINER, PLEASE ALSO FILL IN PART BELOW: Please place points C and D on either side of the sloping line.

COVING (wall/bottom)	Radius =cm			
MEASUREMENTS TAKEN ABOVE (At the foot of the wall, at the bottom of the pool)	POOL BOTTOM TRIANGULATION	DEPTH AT POINTS		
AC = cm CE = cm 32-C = cm	E39 = cm F39 = cm	C = cm 32 = cm		
AD = cm CF = cm 32-D = cm	E40 = cm F40 = cm	8 = cm 36 = cm		
BC = cm DF = cm 10-E = cm	E41 = cm F41 = cm	B = cm E = cm		
BD = cm DE = cm 15-41 = cm	E42 = cm F42 = cm	20 = cm 41 = cm		
CD = cm EF = cm 23-F = cm	E43 = cm F43 = cm	D = cm F = cm		
	41-41' =cm	29 = cm		
	IMPORTANT			

If the stair has a special shape, don't hesitate to take a photo.