

BAR COVERS
PREMIUM



The cover which combines safety and design



BAR COVERS PREMIUM

+ FINISHES

Your Premium (B-2.1) cover has:

- A qualitative finishing of the lengths thanks to the hems.
- Straps matching the fabric colour.
- Integrated anti-lift system with the stainless steel ratchet of the cover which allows you to have the cover well placed on the ground (ideal for windy regions).

+ ADAPTABLE

4 more versions of the Premium B-2.1 cover are available to fit your desires and your constraints:

- For a special pool deck configuration, the movable strap adapts thanks to its anchor point which can be moved (Premium Universal B-2.2 cover).
- For a more harmonious effect, choose the colour bars that matches the colour of the fabric (Premium Color B-2.3 cover).
- For non-windy regions, a more accessible cover where the anti-lift system is not compulsory (Premium Easy B-2.4 cover).
- The cover is also available for an above-ground configuration (Premium Above-ground B-2.0 cover).



Universal B-2.2



Color B-2.3



Easy B-2.4

+ OPACITY

- The opacity of the fabric maintains the water in the dark preventing the photosynthesis and the growth of algae to limit the chemical products utilisation.



Covers available for pools up to 5.50 x 12.00 m
+ 4.00 x 2.00 m maximum step unit.

1 FITTINGS

- Three fitting straps with stainless steel "easy" ratchets (patented) and stainless steel and aluminium anchors.
- Crystal PVC reinforcement under the ratchets for perfect coping protection.

2 ANODISED ALUMINIUM BARS 20 MICRONS

- Grey coloured bar caps.

3 580 G/M² FABRIC

- UV and fungicide treatment.
- Exceptional size stability.
- Excellent distortion resistance.
- Rainwater drainage holes equipped with a flap. These ensure an efficient drainage and an asthetic cover (holes hidden by the flap).

4 OPTION - ANTI-ABRASION PROTECTION

- Removable strips of anti-abrasion fabric under the cover.
- Strips placed at the contact points of the coping.

5 ROLLING / UNROLLING

- The removable unrolling strap is fitted with a quick fastener for easier handling. The strap can be stowed away from the pool side.
- Cover delivered with 1 or 2 handles depending of the size of the pool.

6 STAIRS ON POOL LENGTHS

- Tension using a beige elastic safety strap.

+ Roll-e

Your motorised reel system for faster and easier rolling thanks to its wired remote control.

▶ AVAILABLE COLOURS


BRIGHT COLOURS



Almond




Beige



Blue



Grey




Dark grey



Green

The underside of the cover is beige.

MATT COLOUR



Light grey

The underside of the cover is grey.

▶ USEFUL TO KNOW

- ▶ Above-ground pool version available:
 - Cover for pools up to 5.00 x 10.00 m.
 - Neither drilling nor hooks in the wood thanks to the patented Wood'Lock fixing system.



Wood'Lock fixing system



Read carefully and keep for future reference.

The Premium bar cover is a 4-seasons safety cover for pool, designed to keep children under the age of 5 out of the pool. This product is compliant with the standard NF P90-308. It is not a substitute for common sense or personal responsibility. It is no substitute for the vigilance of parents and/or responsible adults, which remains the essential factor for the safety of young children. A child can drown in less than 3 minutes; no type of preventive measures can replace the monitoring and vigilance of a responsible adult.

Warranty: 3 full years excluding the wear on the coping and the bending of the bars in case of overload and 1 year for the handle and the tensioning ratchets, in accordance with our general terms of sale.

Order form: for the cover to be properly adjusted to the swimming pool, it is essential to provide the corresponding order form.

Time needed to operate a pool measuring 5.00 x 10.00 m: the set-up is done by a person and requires approximately 3 minutes.

Use: all year round. To keep your cover in good working conditions, maintain a constant water level between 7 and 20 cm according to the level of the deck or the coping. Place the wintering floats diagonally and the skimmer anti-freeze devices. Apply wintering products before installing the cover. It is essential to provide a water level regulator. It must comply with the instructions.

Serviceability limits: not suitable for overflow pools. The Premium bar covers are available for pools up to maximum 5.50 m wide and 12.00 m long for the inground version and maximum 5.00 m wide and 10.00 m long for the above-ground version.

Wintering: it is mandatory to winterize the pool depending on its geographical location. Please refer to the technical notice.

Manufacturer: DEL SAS - ZA La Croix Rouge - 35530 Brécé - FRANCE
www.del-piscine.fr/en

FOR MORE INFORMATION PLEASE ASK YOUR POOL EXPERT

DEL SAS with a capital of 2 300 000 € - RCS 303355671 Rennes - ZA
La Croix Rouge - 35530 Brécé - FRANCE - Non-binding document -
© DEL SAS - 01/24 - Do not throw away - A-DBRO10600.L1

