



BAR COVERS
CLASSIC



The safety cover that goes through the seasons




BAR COVERS CLASSIC

+ FINISHES

- 3 tension points for a quick installation.
- Excellent distortion resistance.
- A 580 g/m² fabric with UV and fungicide treatment.
- Cut-edge finish along the lengths.
- Rainwater drainage holes hidden by the flap ensure an efficient drainage and preserve the cover's aesthetic.

+ OPACITY

- The opacity of the fabric maintains the water in the dark to prevent photosynthesis and the growth of algae for limited use of chemical products.



Cover available for pools up to 5.00 x 12.00 m
+ 4.00 x 2.00 m maximum step unit.

1 ANODISED ALUMINIUM BARS 20 MICRONS

- Grey coloured bar caps.

2 FITTINGS

- Three fixing straps with stainless steel ratchet and stainless steel and aluminium anchors.
- Black straps.

3 580 G/M² FABRIC

- Exceptional size stability.
- Rainwater drainage holes equipped with a flap.
- Standard 25 cm overlap all around the pool.

4 ROLLING / UNROLLING

- Removable unrolling strap used to unroll the cover over the pool.
- The unrolling strap is fitted with a quick fastener for an easier handling.
- Cover delivered with 1 or 2 handles adapted to the cover dimensions.

AVAILABLE COLOURS


BRIGHT COLOURS



Almond



Beige



Blue



Grey




Dark grey



Green

The underside of the cover is beige.

MATT COLOURS



Light grey

The underside of the cover is grey.

+ Roll-e

Your motorised reel system for faster and easier rolling thanks to its wired remote control.

USEFUL TO KNOW

- ▶ Above-ground version available:
- Cover of a pool up to 5.00 x 10.00 m.



Beige elastic strap



Wall hook



Read carefully and keep for futur reference.

The Classic bar cover is a 4-seasons safety cover for pool, designed to keep children under the age of 5 out of the pool. This product is compliant with the standard NF P 90-308. It is not a substitute for common sense or personal responsibility. It is no substitute for the vigilance of parents and/or responsible adults, which remains the essential factor for the safety of young children. A child can drown in less than 3 minutes; no type of preventive measures can replace the monitoring and vigilance of a responsible adult.

Warranty: 3 degressive years excluding the wear on the coping and the bending of the bars in case of overload and 1 year for the handle and the tensioning ratchets, in accordance with our general terms of sale.

Order form: for the cover to be properly adjusted to the swimming pool, it is essential to provide the corresponding order form.

Time needed to operate a pool measuring 5.00 x 10.00 m: the set-up is done by a person and requires approximately 3 minutes.

Use: all year round. To keep your cover in good working conditions, maintain a constant water level between 7 and 20 cm according to the level of the deck or the coping. Place the wintering floats diagonally and the skimmer anti-freeze devices. Apply wintering products before installing the cover. It is essential to provide a water level regulator. It must comply with the instructions.


Serviceability limits: not suitable for overflow pools. The Classic bar cover is available for pools up to maximum 5.00 m wide and 12.00 m long for the in-ground version and maximum 5.00 m wide x 10.00 m long for the above-ground version.

Wintering: it is mandatory to winterize the pool depending on its geographical location. Please refer to the technical notice.

Manufacturer: DEL SAS - ZA La Croix Rouge 35530 Brécé - France / www.del-piscine.fr



FOR MORE INFORMATION PLEASE ASK YOUR POOL EXPERT



CF GROUP - DEL SAS - ZA LA CROIX ROUGE - 35530 BRÉCÉ - FRANCE

CF Group - DEL SAS with a capital of 2 300 000 € - RCS 303355671 Rennes
Non-binding document / © DEL SAS / 01-23 / A-DIRO0106011
Printed by K-riboo - 35250 Andouillé-Neuville / Do not throw away