

BAR COVERS

EASY



Cover very easy to use



BAR COVERS EASY

+ FINISHES

- A quality lengths finish thanks to the hems.
- Straps matching the fabric colour.

+ FITTINGS

- The stainless steel "easy" ratchet patented system is included for this cover. It is faster and more flexible to use, and also allows for better tensioning of the fabric.
- The unrolling strap is fitted with a quick fastener for easier handling.



"Easy" ratchet



Quick fastener

+ OPACITY

- The opacity of the fabric maintain the water in the dark to prevent photosynthesis and the growth of algae to limit the use of chemical products.



Cover available for pools up to 5.50 m x 12.00 m + 4.00 x 2.00 m maximum step unit.

1 FITTINGS

- Three fittings straps with stainless steel "easy" ratchets and stainless steel and aluminium anchors (patented).
- Crystal PVC reinforcement under the ratchets for perfect coping protection.

2 ANODISED ALUMINIUM BARS 20 MICRONS

- Grey coloured bar caps.

3 580 G/M² FABRIC

- UV and fungicide treatment.
- Exceptional size stability.
- Excellent distortion resistance.
- Rainwater drainage holes equipped with a flap. These ensure an efficient drainage and an aesthetic cover (holes hidden by the flap).
- The coping is covered by the cover to combine aesthetics and safety.

4 OPTION ANTI-ABRASION STRIP

- Removable strips of anti-abrasion fabric under the cover.
- Strips placed at the contact points of the coping.

5 ROLLING / UNROLLING

- Removable unrolling strap and fitted with a quick fastener. The strap can be stowed away from the pool side.
- Cover delivered with 1 or 2 handles (with a reduction ratio) adapted to the cover dimensions.

6 STAIRS ON POOL LENGTHS

- Tension using a beige elastic safety strap.

AVAILABLE COLOURS


BRIGHT COLOURS



Almond



Beige



Blue



Grey




Dark grey



Green

The underside of the cover is beige.

MATT COLOURS



Light grey

The underside of the cover is grey.

+ Roll-e

Your motorised reel system for faster and easier rolling thanks to its wired remote control.

USEFUL TO KNOW

- Options available:
 - Snow kit
 - Wind kit with visible straps
 - Wind kit with cables built into the bar
 - Water bags



Wind kit with cables built into the bar



Read carefully and keep for futur reference.

The Easy bar cover is a 4-seasons safety cover for pool, designed to keep children under the age of 5 out of the pool. This product is compliant with the standard NF P 90-308. It is not a substitute for common sense or personal responsibility. It is no substitute for the vigilance of parents and/or responsible adults, which remains the essential factor for the safety of young children. A child can drown in less than 3 minutes; no type of preventive measures can replace the monitoring and vigilance of a responsible adult.

Warranty: 3 full years excluding the wear on the coping and the bending of the bars in case of overload and 1 year for the handle and the tensioning ratchets, in accordance with our general terms of sale.

Order form: for the cover to be properly adjusted to the swimming pool, it is essential to provide the corresponding order form.

Time needed to operate a pool measuring 5.00 x 10.00 m: the set-up is done by a person and requires approximately 3 minutes.

Use: all year round. To keep your cover in good working conditions, maintain a constant water level between 7 and 20 cm according to the level of the deck or the coping. Place the wintering floats diagonally and the skimmer anti-freeze devices. Apply wintering products before installing the cover. It is essential to provide a water level regulator. It must comply with the instructions.

Serviceability limits: not suitable for overflow pools. The bar cover Easy is available for pools up to maximum 5.50 m wide and 12.00 m long.

Wintering: it is mandatory to winterize the pool depending on its geographical location. Please refer to the technical notice.

Manufacturer: DEL SAS - ZA La Croix Rouge 35530 Brécé - France / www.del-piscine.fr

FOR MORE INFORMATION PLEASE ASK YOUR POOL EXPERT

