




IN-GROUND AUTOMATIC SLATTED COVER **ROLLIN**

THE HISTORICAL SLATTED COVER,
IDEAL FOR CONSTRUCTION.



IN-GROUND AUTOMATIC SLATTED COVER

ROLLIN


THE PRODUCTS

RELIABLE

- The Rollin slatted cover, is manufactured in our workshops for 30 years. It is THE reference model on the market.
- All the cover's components have been carefully selected to ensure the greatest longevity of the Rollin slatted cover.

DISCREET

- The in-ground slatted cover is in a pit covered by a decking above the waterline. The motor is housed in a separate dry pit for easier access.
- The colours of the cover parts can be matched together for perfect integration (beam, beam's supports, decking, slats, locking kits, separating wall).



Cover available for pools from 3.00 x 3.00 m and up to 10.00 x 16.50 m.

1 MOTORISATION

- Coupling of the salt electrolysis to the cover.
- Automatic switch.

Controlled by Wi-Key, key switch or LivePool.

2 WALL UNITS

3 SLATS

- Opaque PVC 84 slats, solar polycarbonate slats or opaque PVC 69 slats.

4 LOCKING KITS

5 ALUMINIUM TUBE

6 ANODISED ALUMINIUM BEAM

7 TEAK WOOD OR ALUMINIUM DECKING

8 STOP SALT AND STOP FLOW

- Control of the filtration of the cover. It allows to stop the filter pump when the automatic cover motor is working.



YOUR SLATS CHOICE

All our slats have a quality finish and are compliant with the NF P90-308 standard.

Opaque POLYCARBONATE SLATS



Nordic white



Anthracite grey



DISCOVER OUR
SLAT RANGE

Opaque SOLAR POLYCARBONATE SLATS

ANTI-PHOTOSYNTHESIS OPACITY



Absolute black



Crystal black



Silver


TRANSPARENCY



Crystal blue



Crystal brown



Crystal



Crystal greenl

Opaque PVC 84 SLATS



White




Grey

Opaque PVC 69 SLATS



White



Beige



Grey



Blue

WHY COVER YOUR POOL?

- To reduce the water consumption by limiting the evaporation.
- To reduce the energy consumption.
- To make the cleaning easier & to reduce the use of chemical products.



YOUR LOCKING KITS

PUSHLOCK AUTOMATIC

Practical and fully automated, this system opens and closes your pool cover without any manual handling of the locking kits.

Compatible with rectangular pools from 2.00 m to 10.00 m wide, without external steps, featuring corner radii of up to 25 cm, and installed on a concrete coping.

It is compatible with DEL, Rollin and Rollenergy Evolution submerged pool covers, all DEL PVC or solar/opaque polycarbonate slats, as well as the full range of DEL control systems: key switch, Wi-Key and LivePool Cover.



White



Grey




Anthracite grey




Black

PUSHLOCK


Aesthetic and discreet, the strap is clipped into the Pushlocks located on the width(s) of the pool, ensuring its safety.




White



Beige




Blue



Light grey



Dark grey



Argile green

ROLLIN

Scan this QR code
to access important
information



Ivernea

THINK ABOUT IT

Protect your slats
further from UVs & dirt
with the Ivernea winter shift
or the Ivernea Plus 4-season
protective shift.

LIVEPOOL



Opening & closing
of the automatic cover
with a smartphone thanks
to the free LivePool App.

FOLLOW US



DEL Piscine France



@delpiscine_france

www.del-piscine.fr

FOR MORE INFORMATION, PLEASE ASK YOUR POOL EXPERT

DEL SAS with a capital of 2 300 000 € - RCS 303355671 Rennes - ZA La Croix Rouge - 35530 Brécé - FRANCE
Non-binding document - © DEL SAS, Alexandra Peltier, Studio S2O - 06/26
Do not litter.



a brand by **CF group**